



## How to setup DKIM

Ester Andersson - 2024-02-16 - Customize your learning platform

### AWS

If you are adding a top domain, for example, "[example.com](#)", then add a TXT record like (substitute [example.com](#) with your custom domain)

```
learnifier-realm-aws._domainkey.example.com. TXT  
"k=rsa;t=s;p=MIGfMA0GCSqGSIb3DQEBAQUAA4GNADCBiQKBgQCfk9eQYvqFXnY02hCs  
zLbNGE0y9chbwPfnPI82nRLWckoQjsDbDjMiovdQrLf//1c+piSqzLRK8jp0oje7fLSMM  
/wi6qFvelGSsFaFC/GDrBW40wyu0TJSEZMUzL0gWYZqJiiTdfRyUpuA6m8FXJImUXEWBp  
I1u3t9PLaB21hItwIDAQAB"
```

If you are adding a subdomain, for example, "[academy.example.com](#)", then add a CNAME like this (substitute [academy.example.com](#) with your custom domain)

```
learnifier-realm-aws._domainkey.academy.example.com. CNAME  
custrealm-1.dkim.learnifier.com.
```

### ELASTX

If you are adding a top domain, for example, "[example.com](#)", then add a TXT record like (substitute [example.com](#) with your custom domain):

```
learnifier-realm-se1._domainkey.example.com. TXT "v=DKIM1;  
k=rsa;t=s;p=MIGfMA0GCSqGSIb3DQEBAQUAA4GNADCBiQKBgQDApDC0gECsYZRMuhW/f  
Y8r5v6w/6HiShlZwVDCpAl8uQ0G1QDyH0VnUGoLr7MUwBTQ01+DXBBypIlj5i09BuK6sT  
J600FWF8/k5h/bnzYg78JcKxz3LxS/fSwUFo1u/9Ip/0JI0C+q/wOL8uNtnxYJzHnVGKv  
KYW4bl8ed+jPK0wIDAQAB"
```

If you are adding a subdomain, for example, "[academy.example.com](#)", then add a CNAME like this (substitute [academy.example.com](#) with your custom domain):

```
learnifier-realm-se1._domainkey.academy.example.com. CNAME  
custrealm-1.dkim.learnifier.se.
```

### Related Content

- [Custom domain](#)
- [Custom mail SMTP](#)