


Kunskapsbas > API, SAML, integrationer och allmänna inställningar > How to set up SCIM

How to set up SCIM

Ester Andersson - 2024-09-06 - API, SAML, integrationer och allmänna inställningar

To follow the instructions below, ensure you've received the secret token from Learnifier.

- 1. Go to Azure and open Microsoft Entra ID.
- 2. Locate "Enterprise applications".



1. Create your own application, name the app, and select "Integrate any other application you don't find in the gallery (non-gallery)".

		AGET DIRECTORT
Create yo	our own application	>
🔗 Got feedba	ck?	
	ping your own application, using Application Proxy, or want t is not in the gallery, you can create your own application here	-
What's the name	e of your app?	
Learnifier	\checkmark	
What are you loc	oking to do with your application?	
Configure A	pplication Proxy for secure remote access to an on-premises	application
O Register an a	application to integrate with Microsoft Entra ID (App you're d	eveloping)
Integrate an	y other application you don't find in the gallery (Non-gallery)	

Manage \rightarrow Provisioning:

- 1. Provisioning mode: "Automatic"
- 2. Admin credentials:
- 3. Tenant URL: "https://kund.learnifier.com/api/scim"
- 4. Secret token: "API key"
- 5. Test the connection.

	-	
	0 «	🗟 Save 🗙 Discard
i Overview		Provisioning Mode
😋 Provision on demand		Automatic \checkmark
√ Manage		Use Microsoft Entra to manage the creation and synchronization of user accounts in JK SCIM based on user and group
Provisioning		assignment.
Users and groups		
Expression builder		∧ Admin Credentials
> Monitor		Admin Credentials
> Troubleshoot		Microsoft Entra needs the following information to connect to JK SCIM's API and synchronize user data.
		Tenant URL * 💿
		This field is required.
		 Incorrect format
		Secret Token
		•
		Test Connection
		∧ Mappings
		Mappings
		Mappings allow you to define how data should flow between Microsoft Entra ID and customappsso.
		Normal Production

Note: If there is an error during synchronization, you can set up notifications for who should receive messages.

Next step after saving:

- 1. Go to "Mappings".
- 2. Set up groups and users that you want to transfer.

$\label{eq:home} \begin{tabular}{lllllllllllllllllllllllllllllllllll$				×
🗟 Save 🗙 Discard				
Name Provision Microsoft Entra ID Groups				
Enabled Yes No				
Source Object Group				
Source Object Scope All records				
Target Object urröttfparamsscimsschemasscore:2.0:Group				
Target Object Actions				
Create				
Update				
Celete				
Attribute Mappings Attribute mappings define how attributes are synchronized between Microsoft Entra ID ar customappsso Attribute	nd customappsso Microsoft Entra ID Attribute	Matching precedence	Edit	Remove
displayName	displayName	1	Edit	Delete
externalid	objectId		Edit	Delete
members	members		Edit	Delete
Add New Mapping				
Show advanced options				

Attribute Mapping

🔚 Save 🗙 Discard				
Name				
Provision Microsoft Entra ID Users				
Enabled				
Yes No				
Source Object		1		
User				
Source Object Scope				
All records				
Target Object				
umietf:params:scim:schemas:extension:enterprise:2.0:User]		
Target Object Actions				
Create				
V Update				
✓ Delete				
Attribute Mappings				
Attribute mappings define how attributes are synchronized between M				_
customappsso Attribute	Microsoft Entra ID Attribute	Matching precedence	Edit	Remove
				×
Attribute Mapping				
Save X Discard				
Save X Discard Attribute Mappings Attribute mappings define how attributes are synchronized between Microsoft Entra ID an				
Save X Discard Attribute Mappings Attribute mappings define how attributes are synchronized between Microsoft Entra ID an customappeso Attribute	Microsoft Entra ID Attribute	Matching precedence	Edit	Remove
Save X Discard Attribute Mappings Attribute mappings define how attributes are synchronized between Microsoft Entra ID an customappeso Attribute userName	Microsoft Entra ID Attribute userPrincipalName	Matching precedence	Edit	Remove Delete
Save Clocad Attribute Mapping Attribute mappings darken how attributes are synchronized between Microsoft Entra ID an customappess Attribute userName active	Microsoft Entra ID Attribute userPrincipalName Switch([IsSoftDeleted], , "False", "True", "True", "False")	Matching precedence	Edit Edit	Remove Delete Delete
Sine Constant Attribute Mappings Attribute mappings define how attributes are synchronized between Microsoft Entra ID an cotomappeo Attribute userName active displayName	Microsoft Entra ID Attribute userPrincipalName Switch([IsSoftDeleted], "False", "True", "True", "False") displayName	Matching precedence	Edit Edit Edit	Remove Delete Delete Delete
Save Cload Attribute Mappings Attribute mappings define how attributes are synchronized between Microsoft Entra ID an costomappeso Attribute userName active dolpulyName tole	Microsoft Entra ID Attribute userPrincipalName Switch(IJSSoftDeleted), 'False', 'True', 'True', 'False') displayName jobTitle	Matching precedence	Edit Edit Edit Edit	Remove Delete Delete Delete Delete
Save Clocad Attribute Mappings Attribute mappings drink how attributes are synchronized between Microsoft Entra ID an customappess Attribute userName active displayName tide emailstype eq "work" Jvalue	Microsoft Entra ID Attribute user/hirojabilane Switch(JISS6Deleted), "False", "True", "False") displayName jobTitle mail	Matching precedence	Edit Edit Edit Edit Edit	Remove Delete Delete Delete Delete Delete
Sine Chicad Attribute Mappings Attribute mappings difficient how attributes are synchronized between Microsoft Entra ID an customappesso Attribute ucertaine active displayName tile emailtype eq "work"] salue preferredLanguage	Microsoft Entra ID Attribute userPrincipalName Switch(tijSoftDeleted), "Tale", "True", "True", "False") displayName jobitie mail preferredLanguage	Matching precedence	Edit Edit Edit Edit Edit Edit	Remove Delete Delete Delete Delete Delete
Sere C Discard Attribute Mapping Attribute mappings define how attributes are synchronized between Microsoft Entra (D an customappings Attribute userHame daplaryName title emails/pyne eq "work"/value emails/pyne eq "work"/value emails/pyne equivers/"value emails/"pyne equivers/"value emails/"value emails/"value emails/"value emails/"value emails/"value emails/"valu	Microsoft Entra ID Attribute userPrincipalName Switch(IISS0fDeleted), "Take", "True", "False") displayName jobTitle mail preferedLanguage givenName	Matching precedence	Edit Edit Edit Edit Edit Edit	Remove Delete Delete Delete Delete Delete Delete
Save Chicago Attribute Mapping: Attribute Mapping: Attribute Mapping Attributes are synchronized between Microsoft Entra ID an customappeo Attribute userName active displayName the emailstype of 'work' joulue prefered Language name givenName name familyName	Microsoft Entra ID Attribute userFinicpiNRame Switch(tilsSoftDeleted), 'Tale', 'True', 'False') jobTitle mail preferedLanguage givenName sumane	Matching precedence	Edit Edit Edit Edit Edit Edit	Remove Delete Delete Delete Delete Delete Delete Delete
Save Chicket Mapping Attribute Mapping Attribute mappings define how attributes are synchronized between Microsoft Entra ID and castomappess Attribute userName active displayName title preferredLanguage name.formAttame name.formatted	Microsoft Entra ID Attribute user/hirojabName Switch[IJSoBDeleted], "false", "True", "True", "false"] displayName preferedLanguage givenName surrame Join("," (givenName), [surrame])	Matching precedence	Edit Edit Edit Edit Edit Edit Edit	Remove Delete Delete Delete Delete Delete Delete
Save Chicago Attribute Mapping: Attribute Mapping: Attribute Mapping Attributes are synchronized between Microsoft Entra ID an customappeo Attribute userName active displayName the emailstype of 'work' joulue prefered Language name givenName name familyName	Microsoft Entra ID Attribute userFinicpiNRame Switch(tilsSoftDeleted), 'Tale', 'True', 'False') jobTitle mail preferedLanguage givenName sumane	Matching precedence 1	Edit Edit Edit Edit Edit Edit Edit Edit	Remove Delete Delete Delete Delete Delete Delete Delete Delete
Sere K bicad Attribute Mapping Attribute mappings differ how attributes are synchronized between Microsoft Entra ID an customappesso Attribute ucertaine active displayName title maintippe eq "work" Joalue preferredLanguage name formAtted addresses(type eq "work" formatted	Microsoft Entra ID Attribute userFinicpaNkam Switch(II)Softbeleted), "False", "True", "False") displayName preferedLanguage givenName sumame boint", [givenName], [sumame]) physicalDeliveryOfficeName	Matching precedence	Edit Edit Edit Edit Edit Edit Edit Edit	Remove Delete Delete Delete Delete Delete Delete Delete Delete
See Chock Ch	Microsoft Entra ID Attribute userPrincipalName Switch(I)SSOftDeleted), "Tales," "True", "False") jobTitle politite preferedLanguage givenName summe plysicalDelevanej[summe]] physicalDelevane/officeName streetAddress	Matching precedence	Edit Edit Edit Edit Edit Edit Edit Edit	Remove Delete Delete Delete Delete Delete Delete Delete Delete Delete Delete
Save Chicado Attribute Mapping: Attribute mappings diffine how attributes are synchronized between Microsoft Entra ID an customappeso Attribute userName displayMame tile emails/type eq "work"/salue preferred.tanguage name given/tane name familytane name familytane didensestifype eq "work"/formatted addressestifype eq "work"/formatted	Microsoft Entra ID Attribute userFinicpiaNkame Switch(bisSoftDeleted), 'Tale', 'True', 'True', 'False') jobTitle mail preferedlanguage givenName sumare Sumare physicaDeloveryOfficeName attretAddress Gby	Matching precedence	feit Eáit Eáit Eáit Eáit Eáit Eáit Eáit Eá	Remove Odeta Dates Dates Dates Dates Dates Dates Dates Dates Dates Dates
Sere K Discard Attribute Mapping Attribute mappings define how attributes are synchronized between Microsoft Entra ID an catomappess Attribute userName attrie attrie attrie attrie mane Sinvitant name Sinvitant name Sinvitant name Sinvitant name Sinvitant atdressetilype eq "work"[streetAddress addressetilype eq "work"[streetAddress	Microsoft Entra ID Attribute user/inicpisNkame Switch(bisSoftDeleted), "false", "frue", "frue", "false") jobTitle mail preferedLanguage givenName sumame Joint", "[givenName] [sumame]] physicalDelveryOfficeName streetAddress dry state	Matching precedence	Láit Eáit Eáit Eáit Eáit Eáit Eáit Eáit E	Remove Ociste Delete Delete Delete Delete Delete Delete Delete Delete Delete
See Chicago Attribute Mapping Attribute Mapping Attribute Mappings Attribute mappings define how attributes are synchronized between Microsoft Entra ID an customappesso Attribute userHane attrie attr	Microsoft Entra ID Attribute userFinicpaNkam Switch(ISSOftDeleted), "Talse", "True", "True", "false") daplayName poterture daname givenNa	Matching procedence	l táit Eáit Eáit Eáit Eáit Eáit Eáit Eáit	Remove Delete Delete Delete Delete Delete Delete Delete Delete Delete Delete Delete Delete Delete Delete
Save Chicago	Hicrosoft Entra ID Attribute userFricipalName Switch(IJSoftDeleted), 'Tales', 'True', 'True', 'Fales') jobTitle poleTitle preferedLanguage greenName Lumane Joni'', (givenName], [surname]) physicalDelevane streetAdress Gty stateAddress Gty stateAddress Gty stateAddress Gty stateAddress Gty stateAddress Gty stateAddress Gty StateAddress Gty Gty StateAddress Gty Gty StateAddress Gty Gty StateAddress Gty Gty Gty Gty Gty Gty Gty Gty	Matching precedence	Láit Eáit Eáit Eáit Eáit Eáit Eáit Eáit E	Remove Octate Delete Delete Delete Delete Delete Delete Delete Delete Delete Delete Delete Delete
Sine K Discal Attribute Mappigs Attribute mappings define how attributes are synchronized between Microsoft Entra Diar customappess Attribute usertame active displayMane tile emails/type eq "work"/salue preferred/anguage name.given/lame name.formatted addressettype eq "work"/formatted addressettype eq "work"/formatte	Hicrosoft Entra ID Attribute userFrincipalName Switch(bisSoftDeleted), "falee", "True", "False") jobTitle mail optertured.mane sumane Sumane Sumane Sumane physicalDeliveryOffceName attreEAddres city pate Addres city state city ci	Matching precedence	Lidit Edit Edit Edit Edit Edit Edit Edit	Remove Dolete Dolete Dolete Dolete Dolete Dolete Dolete Dolete Dolete Dolete Dolete Dolete Dolete Dolete Dolete Dolete Dolete Dolete
Save Chicage Attribute Mappig Attribute Mappig Attribute mappings diffine how attributes are synchronized between Microsoft Entra D an costomappes Attribute userName active displayMame tile emails/type eq "work"/ value preferedLanguage addresseltype eq "work"/ Jonated addresseltype eq "work"/ work addresseltype e	Microsoft Entra ID Attribute userFricpiaNkam Soutch(USSOfDeleted), 'Tale', 'True', 'True', 'Fate') jobTite poleTute prefered.anse geneName geneName geneName prefered.anse) profered.anse street.Adres dreet.Adres dreet.Adres county telephoneNumber noble facinite/TelphoneNumber maiNickname	Matching procedence	fidit Edit Edit Edit Edit Edit Edit Edit	Remove Delete De
See Concern Attribute Mapping Attribute Mapping Attribute mapping affine how attributes are synchronized between Microsoft Entra D and customappess Attribute userhame active diaplayAme diaglayAme diaglayAme ide mane Solventane name Solventane name Solventane name Solventane name Solventane name Solventane name Solventane name Solventane name Solventane name Solventane addressettype eq "work" Josef diadressettype eq "work" Josef addressettype eq "work" Josef addresset	Hicroit fata ID Attribute useringiaNama Switchildsothetetedi, "false," "frue," fraise," displayName johtile anal preferedLanguage greenName greenName] brim:" (greenName], furname]) brim: (greenName), furname]) brim: (greenName), furname) brim: (greenName), furname, f	Matching procedence	Lidit Edit Edit Edit Edit Edit Edit Edit	Remove Dokte Doktes Dok
Save Chicage Attribute Mappig Attribute Mappig Attribute mappings diffine how attributes are synchronized between Microsoft Entra D an costomappes Attribute userName active displayMame tile emails/type eq "work"/ value preferedLanguage addresseltype eq "work"/ Jonated addresseltype eq "work"/ work addresseltype e	Microsoft Entra ID Attribute userFricpiaNkam Soutch(USSOfDeleted), 'Tale', 'True', 'True', 'Fate') jobTite poleTute prefered.anse geneName geneName geneName prefered.anse) profered.anse street.Adres dreet.Adres dreet.Adres county telephoneNumber noble facinite/TelphoneNumber maiNickname	Matching precedence	fidit Edit Edit Edit Edit Edit Edit Edit	Remove Delete De

Note: If you wish to set up more fields on a user, we first need to do it on our site.

1. Activate (change from "Off" to "On").

	2		
	0 «	🔛 Save 🗙 Discard	
Overview		Provisioning Mode	
$\mathcal{P}_{\mathrm{gr}}$ Provision on demand		Automatic	
∨ Manage		Use Microsoft Entra to manage the creation and synchroniza	tion of user accounts in JK SCIM based on user and group
Provisioning		assignment.	
Users and groups			
Expression builder		 Admin Credentials 	
 Monitor Provisioning logs 		∧ Mappings	
Audit logs			
Insights		Mappings	
> Troubleshoot		Mappings allow you to define how data should flow be Name	etween Microsoft Entra ID and customappsso. Enabled
		Provision Microsoft Entra ID Groups	Yes
		Provision Microsoft Entra ID Users	Yes
		Restore default mappings	
		∧ Settings	
		Send an email notification when a failure occurs	
		Prevent accidental deletion	
		Scope ①	
		Sync only assigned users and groups	~
		Provisioning Status ①	
		On Off	